



Form-13

(See Rule-46)



MR No.1577-BLR-25-26/PS -7459

**Certificate of test or analysis by Government Analyst Under Section 25(1) of the
Drugs and Cosmetics Act,1940**

1. Name of Inspector from whom received: **Karunadevi, Assistant Drugs Controller
OFFICE OF THE ASST DRUGS CONTROLLER, CA:4/1 SyNo:17, Ground Floor, MSK Compound,
Kalaburgi Circle-ADC2, Kalaburgi-585103**
2. Serial No of Inspectors Memorandum : **GL2/REG/CMS/106830/KA-B01** and Date **06-04-2025**
3. Number of Sample : **106830**
4. Date of Receipt : **23-05-2025**

5. Name of drugs purporting to be contained in the sample: **Candid Ear Drops (Clotrimazole+Lignocaine
hydrochloride Ear Drops {1.0+2.0}% w/v)**

Batch No: 11231684 Date Of Mfg.:09-2023 Date of Exp: 08-2026

Quantity: 01 x 10 x 10 ml. Mfg Lic. no. MNB/09/732

**Mfg. by: Glenmark Pharmaceuticals Ltd. ,(Unit-II), Village Bhattanwala, P.O.Rajpura,
Nalagarh, Distt.Solan(H.P)-174101**

6. Condition of seals on the package: **Intact & Tally with Specimen Seal**
7. Result of test or analysis with protocols of test or analysis applied: **Inhouse Method and IP 2022**
In the opinion of the undersigned the sample referred to above is **not of standard quality** as defined in the
Drugs and Cosmetics Act,1940 and rules thereunder for the reasons given below

RESULTS

DESCRIPTION: Clear, colourless liquid contained in sealed plastic dropper bottles packed in sealed carton boxes.

IDENTIFICATION : Answers to the test for Clotrimazole and Lignocaine hydrochloride.

<u>Assay For</u>	<u>Found</u>	<u>Label Claim</u>
Clotrimazole	0.496 % w/v	1 % w/v
Lignocaine hydrochloride	2.05 % w/v	2 % w/v

Reason for declaring Sample as Not of Standard Quality:

The sample has been declared as Not of Standard Quality as it does not conform to the label claim with respect to "Assay for Clotrimazole".

Dated:19/07/2025

CC: DC Karnataka

(CE. Rajendra(I/C))

Government Analyst, Karnataka

Signature Not Verified

Digitally signed by
Date: 2025.07.19 13:24:52
+05:30